



marineharvest



SAV II – Experiences in Marine Harvest Region mid



A large industrial fishing net structure, likely a salmon cage, is visible in the water under a cloudy sky. A person wearing a bright green and grey safety vest stands on the right side of the frame, looking towards the net.

How visible is Sav II ?

Håøya 13.-15.12.2011, the fish were moved to two different sites.
Negative RT-PCR samples until 4.05.2012. Then rapidly increase and
positive diagnoses in two months.



Håøya


Grøttingsøya

Langskjæra

August 2012
clinical signs.











marineharvest

17.10.12

PD

Kontrollskjema – Sortering av **████████** fillet

Red muscle samples.

Barcode	Fish No	SAV-ST	Ct-values** SAV-ST	Control Ela*
AB43998879	1	Positive	28.9	Ok
AB43998872	2	Not Detected	Not Detected	Ok
AB43998882	3	Positive	29.5	Ok
AB43998881	4	Positive	30.7	Ok
AB43998880	5	Positive	29.3	Ok
AB43998867	6	Positive	33.2	Ok
AB43998866	7	Positive	30.4	Ok
AB43998865	8	Positive	32.1	Ok
AB43998874	9	Positive	25.8	Ok
AB43998873	10	Positive	34.1	Ok




marinehar

?




0+ 2012 G
2.73 km
HSMI
CMS
Red muscle

No SAV



SAV II and PRV





marineharvest



Thank you for your attention!