

PD – SalMar's experiences

Arne Guttvik, Fish Health Manager Salmar ASA

www.salmar.no




SalMar – company information

Segment	Wholly owned	R&D/partners	Total
Central Norway Trøndelag & Nordmøre	44 (MAB 780 tonns) - Trøndelag: 29 - Nordmøre: 15	8 - Sintef /Veso: 4 - STFK / Frøya VGS: 1 - Other : 3	52
Northern Norway Troms & Finnmark	23 (MAB 945 tonns)		23
Rauma Møre & Romsdal	14 (MAB 780 tonns) - Rauma Gruppen: 8 - Bringsvor Laks: 2 - Eikremsvik: 2 - Villa Miljølaks: 2	2 - Villa Miljølaks: 1 - Villa Miljølaks / Ålesund University College: 1	16
Total	81	10	91




SalMar PD site - Mid of Norway


SPREDNING PDJULI-OKT 2013




2012 (S1) – early infection





SalMar PD site





Accumulated mortality





Site 1 – mortality vs virus load





Site 2: Mortality vs virus load





Site 3 – mortality vs virus load





Site 3 – mortality vs virus load



Site 1: Appetite vs virus load




Site 2: Appetite vs virus load




ALMAR

1-year smolt

Increasing biological feed conversion ratio



Claims in NOK/kg pr site



Summary

- 🇫🇮 PD – SAV 2 Only
- 🇫🇮 Very low mortality due to SAV 2 infections
- 🇫🇮 Appetite loss in some weeks – growth reduced
- 🇫🇮 Probably some increase in BFCR when PD infected
- 🇫🇮 Some quality issues – depending on date of infection compared to date of harvest
- 🇫🇮 Always coinfection between PD SAV 2 and HSMI

Thank you!

www.salmar.no

